



The Leader in Fire-Rated Storage Solutions



FireKing.com



MADE IN THE USA

SINCE 1951

FireKing®, ISO 9001-2015, is the preeminent US manufacturer of fire-safe storage solutions used globally by businesses, governments, and consumers to protect their most valuable physical assets from devastation.

We rigorously test our products to industry standards set by Underwriters Laboratories (UL®) to ensure dependability. Our commitment to quality is such that the FireKing® lab is recognized as UL and Intertek (ETL) testing centers.

When you see the FireKing® Certified shield or the UL or ETL mark, have confidence knowing our industry-leading products are tried and tested to defend and protect the assets entrusted within them.

Trust In FireKing.®



Self-performed lab testing certifies the product meets UL rating standards



UL or Intertek (ETL) certifies the product meets rating standards set by UL

THE IMPORTANCE OF PRODUCT RATINGS

Fire-rating certifies the product can withstand exposure to fire that burns at a specific temperature for a required amount of time while maintaining an internal temperature below 350°F, the flashpoint of paper. Fire-rating certification varies by temperature and ranges between 1/2-hour to 2-hours.

Digital-media rating verifies the product will protect digital-media devices such as hard drives, CDs, DVDs and flash drives from exposure to heat up to 1550°F.

Water-resistant products protect its contents from water damage when exposed to sprinklers or fire-hose spray.

Impact-rating certifies a unit was pulled from the test furnace and immediately dropped 30-feet onto bricks positioned on a concrete base and then reheated for another 30-minutes in the furnace.

UL® Listed High-Security Lock passes rigorous picking, prying and drilling to confirm its professional-grade security.

Visit ul.com and intertek.com for additional testing information.

The Leader in Fire-Rated Storage Solutions **FireKing**



FILING CABINETS

VERTICAL | LATERAL | MOBILE | COMBINATION

STORAGE CABINETS

DOUBLE-DOOR | SINGLE-DOOR

SAFES

COMMERCIAL | PORTABLE | STAND-ALONE

THE LEADER IN FIRE-RATED FILING CABINETS

FIRE-RESISTANT INSULATION

Gypsum insulation is reinforced with heavy-gauge lattice, creating stronger cage walls

STEEL PANELS

If a panel becomes damaged, it can be easily replaced

FINISH

Environmentally friendly electrostatic powder coating is applied to all sides, including the bottom

INSULATION BETWEEN ALL DRAWERS

Each drawer is as an independently protected compartment

WATER-RESISTANT

Prevents water damage from sprinklers and fire-hose spray

DRAWER PULLS

We offer models with surface mounted and recessed handles



DRAWER LOCKS

All cabinets include standard key locks; some come standard with UL Listed High-Security locks.



E-LOCKS

Available as an add-on for most FireKing® file cabinets; choose one e-lock for the whole cabinet or one per drawer.



TWO POSITION DRAWER CATCH™

Allows access to certain drawers while others remain locked.



FILE-TYPE ACCOMMODATIONS

Turtle® models, Patriot by FireKing® and Lateral cabinet models are all designed to suit both file sizes, all within one cabinet.

CABINET COLORS


FireKing® filing and storage cabinet models are available in upto eleven color options.

Contact Customer Service to request color samples or to discuss your custom* options and visit us online to see product visuals for each color.

See product family sections for specific color availability.



Parchment (PA)



Arctic White (AW)



Black (BL)



Platinum (PL)



Tan (TN)



Taupe (TA)



Brown (BR)




Sand (SA)



Champagne (CH)



Pewter (PE)



Ivory White (IW)



Diamond Stone (DS)




Calcutta Marble (MA)



Knotty Pine (KP)



Light Walnut (LW)



Light Chestnut (LC)

DESIGNER FINISHES

Fire-rated storage has never looked so good! Choose a premium Designer Finish for select FireKing® filing cabinet models including Classic Vertical, Turtle®, FireKing 25®, Single- Drawer, and Classic Lateral.

ACCESSORIES

Tailor filing cabinets to meet your needs!



CASTERS

Make your file cabinet mobile.



CROSS TRAYS

Horizontal or vertical, trays sit on standard file drawers and are great for storing small items.



INNER DRAWER

Add a smooth operating, factory-installed, smaller drawer with glide rails inside the standard file drawer.



DOCUMENT INSERTS

Opt for document inserts for a convenient way to file various-sized documents; choose a top inside drawer (factory installed) or section inserts with 1 to 6 sections.

*See all lock options and UL security ratings at back of catalog.

**Not available on Turtle®, Patriot by FireKing® or FireShield® models.

***Not available on the Patriot by FireKing® models.

FireKing® FILING CABINETS



FireKing® Lateral File Cabinets

Lateral cabinets have big storage capacity and allow for great visibility and quick access to files. The design requires less pull-out space and accommodates both letter and legal file sizes. Add these functional benefits to its UL fire-rating and you have the ultimate mass-file storage solution. Choose the width and number of drawers.

Available in all colors and Designer Finishes.

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | WEIGHT | |
|----------|---------|--------|--------|---------|--------|------|
| | | | | | UNIT | SHIP |
| 2-3122-C | 2 | 27 3/4 | 22 1/8 | 31 3/16 | 416 | 456 |
| 2-3822-C | | | | 37 1/2 | 497 | 532 |
| 2-4422-C | | | | 44 1/2 | 549 | 584 |
| 3-3122-C | 3 | 40 1/4 | 22 1/8 | 31 3/16 | 534 | 574 |
| 3-3822-C | | | | 37 1/2 | 716 | 756 |
| 3-4422-C | | | | 44 1/2 | 751 | 791 |
| 4-3122-C | 4 | 52 3/4 | 22 1/8 | 31 3/16 | 754 | 794 |
| 4-3822-C | | | | 37 1/2 | 867 | 907 |
| 4-4422-C | | | | 44 1/2 | 979 | 1019 |

| MODEL # INCLUDES | UNIT WIDTH | INTERIOR / DRAWER | | |
|------------------|------------|-------------------|--------|----------|
| | | HEIGHT | DEPTH | WIDTH |
| 3122 | 31 3/16 | 10 3/8 | 15 1/8 | 25 3/16 |
| 3822 | 37 1/2 | 10 3/4 | | 31 15/16 |
| 4422 | 44 1/2 | 10 3/4 | | 38 15/16 |



Lateral File Cabinet
Black

ALL PRODUCT SPECIFICATIONS PROVIDED IN INCHES (IN) AND POUNDS (LBS)



1-Hour Classic Vertical
Parchment, Walnut, Black

1-Hour FireKing® Classic Vertical

Our most popular vertical filing cabinet offers leading protection and a variety of product options.

- 2, 3 and 4-drawers; letter or legal
- Available in all colors and Designer Finishes
- High-security lock
- Fire and impact rated

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | | WEIGHT | |
|-------------------|---------|--------|---------|--------|----------|---------|--------|
| | | | | LETTER | LEGAL | UNIT | SHIP |
| 2-1831-C | 2 | 27 3/4 | 31 9/16 | 17 3/4 | - | 318 | 348 |
| 2-2131-C | | | | - | 20 13/16 | 353 | 383 |
| 3-1831-C | 3 | 40 1/4 | 31 9/16 | 17 3/4 | - | 446 | 476 |
| 3-2131-C | | | | - | 20 13/16 | 496 | 526 |
| 4-1831-C | 4 | 52 3/4 | 31 9/16 | 17 3/4 | - | 573 | 603 |
| 4-2131-C | | | | - | 20 13/16 | 634 | 664 |
| Interior / Drawer | | | | 10 3/8 | 26 | 12 3/16 | 15 1/4 |



2-Hour FireKing® Vertical

Our highest fire-rated cabinet delivers the utmost protection against fire, impact and theft with our proprietary insulation, Thermocell II®.

- Available in all colors

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | | WEIGHT | |
|-------------------|---------|----------|---------|----------|---------|--------|------|
| | | | | LETTER | LEGAL | UNIT | SHIP |
| 2-1929-2 | 2 | 29 1/2 | 31 3/16 | 19 | - | 447 | 477 |
| 2-2130-2 | | 29 7/8 | 32 1/16 | - | 21 5/16 | 518 | 548 |
| 3-1943-2 | 3 | 42 13/16 | 31 3/16 | 19 | - | 635 | 665 |
| 3-2144-2 | | 43 7/16 | 32 1/16 | - | 21 5/16 | 712 | 752 |
| 4-1956-2 | 4 | 56 3/16 | 31 3/16 | 19 | - | 927 | 957 |
| 4-2157-2 | | 57 | 32 1/16 | - | 21 5/16 | 991 | 1021 |
| Interior / Drawer | | 11 9/16 | 25 1/8 | 12 15/16 | - | | |
| | | 11 13/16 | 26 | - | 15 1/4 | | |



ALL PRODUCT SPECIFICATIONS PROVIDED IN INCHES (IN) AND POUNDS (LBS)

FireKing® FILING CABINETS



Safe-in-a-File®
Black, Ivory White

Safe-In-A-File®

Cleverly designed with a 2.4 cubic-foot safe behind a false top-drawer panel, this legal-file accommodating cabinet delivers a combination of function and protection.

- Available in all colors
- High-security lock
- Fire and impact rated

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH (Legal) | WEIGHT | |
|-------------------------------|---------|----------|---------|---------------|--------|------|
| | | | | | UNIT | SHIP |
| 2-2131-CSF | 2 | 27 3/4 | 31 9/16 | 20 13/16 | 461 | 501 |
| 3-2131-CSF | 3 | 40 1/4 | | | 604 | 644 |
| 4-2131-CSF | 4 | 52 3/4 | | | 698 | 728 |
| Interior / File Drawer | | 10 3/8 | 26 | 15 1/4 | | |
| Interior / Safe | | 10 11/16 | 24 9/16 | 16 1/16 | | |



FireKing 25®


Smaller footprint at 25-inches deep matched with all the protection and product options with letter or legal file accommodating models.

- Available in all colors and Designer Finishes
- High-security lock
- Fire and impact rated

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | | WEIGHT | |
|--------------------------|---------|--------|---------|---------|----------|--------|------|
| | | | | LETTER | LEGAL | UNIT | SHIP |
| 2-1825-C | 2 | 27 3/4 | 25 1/16 | 17 3/4 | - | 257 | 287 |
| 2-2125-C | | | | - | 20 13/16 | 296 | 326 |
| 4-1825-C | 4 | 52 3/4 | 25 1/16 | 17 3/4 | - | 478 | 508 |
| 4-2125-C | | | | - | 20 13/16 | 521 | 551 |
| Interior / Drawer | | 10 3/8 | 19 3/4 | 12 3/16 | 15 1/4 | | |



FireKing® FILING CABINETS



Legal-size files hang side-to-side

Letter-size files hang front-to-back



Turtle®
Parchment

Turtle® by FireKing®

Space-saving 22-inch deep cabinet conveniently accommodates letter and legal file sizes while delivering incredible protection.

- Available in Arctic White, Black, Parchment and all Designer Finishes
- Fire and impact rated

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | WEIGHT | |
|--------------------------|---------|--------|--------|---------|--------|------|
| | | | | | UNIT | SHIP |
| 2R1822-C | 2 | 27 3/4 | 22 1/8 | 17 3/4 | 221 | 251 |
| 4R1822-C | 4 | 52 3/4 | | | 405 | 435 |
| Interior / Drawer | | 10 3/8 | 15 1/8 | 12 3/16 | | |

No follower blocks are available for this unit.



Patriot by FireKing®

Get the signature integrity of FireKing® in an economically priced file cabinet without sacrificing quality or protection.

- Available in Black and Parchment
- Cam lock secures 2 drawers
- Fire and impact rated

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | | WEIGHT | |
|----------------------------------|---------|--------|---------|----------|--------|--------|------|
| | | | | LETTER | LEGAL | UNIT | SHIP |
| 2P1825-C | 2 | 27 3/4 | 25 1/16 | 17 3/4 | | 257 | 287 |
| 2P1831-C | | | 31 9/16 | 17 3/4 | - | 318 | 348 |
| 2P2131-C | | | - | 20 13/16 | 353 | 383 | |
| 4P1825-C | 4 | 52 3/4 | 25 1/16 | 17 3/4 | | 478 | 508 |
| 4P1831-C | | | 31 9/16 | 17 3/4 | - | 573 | 603 |
| 4P2131-C | | | - | 20 13/16 | 634 | 664 | |
| Interior / 25" (D) Drawer | | 10 3/8 | 19 3/4 | 12 3/16 | | | |
| Interior / Drawer | | 10 3/8 | 26 | 12 3/16 | 15 1/4 | | |

Follower blocks available on some models.



FireKing® FILING CABINETS

FireKing® FILING CABINETS



Mobile Pedestal
Black



FireShield®
Diamond Stone



Single-Drawer
Parchment



Card, Check & Note
Parchment

Mobile Pedestal by FireKing®

Compact, mobile and versatile. This unit fits letter and legal file sizes, has a key lock and fulfills other storage needs with a top utility drawer—great for frequently used and personal items. Available in Arctic White, Black and Parchment.

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | WEIGHT | |
|------------------------|---------|--------|--------|---------|--------|------|
| | | | | | UNIT | SHIP |
| 2M1822-1 | 2 | 25 1/4 | 22 1/8 | 17 3/4 | 213 | 220 |
| Interior / File Drawer | | 10 3/8 | 15 1/8 | 12 3/16 | | |



FireShield® by FireKing®

Multi-function and fire-rated protection—all within a compact footprint. This clever design uses a false top drawer to conceal a 1.3-cubic foot safe while the bottom compartment contains a letter-and-legal file-size accommodating drawer. Available in Diamond Stone and Black Stone.

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | WEIGHT | |
|------------------------|---------|--------|--------|---------|--------|------|
| | | | | | UNIT | SHIP |
| 2S1822-D | 2 | 27 3/4 | 22 1/8 | 17 3/4 | 195 | 237 |
| Interior / File Drawer | | 10 3/8 | 15 1/8 | 12 3/16 | | |



Single-Drawer by FireKing®

Small but mighty, this filing cabinet is convenient for residential and commercial applications. The unit accommodates both file-size types, is fire-rated and secures contents with a key lock. Available in Arctic White, Black, Parchment, Platinum and Designer Finishes.

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | WEIGHT | |
|------------------------|---------|---------|--------|---------|--------|------|
| | | | | | UNIT | SHIP |
| 1P1822-D | 1 | 15 9/32 | 22 1/8 | 17 3/4 | 110 | 120 |
| Interior / File Drawer | | 10 3/8 | 15 1/8 | 12 3/16 | | |



FireKing® Card, Check & Note

All the FireKing® advantages of fire-rated protection and a high-security key lock plus drawers just over 6-inches tall with an array of versatile inserts for specialty filing needs (inserts sold separately). Available in all colors.

| MODEL # | DRAWERS | HEIGHT | DEPTH | WIDTH | WEIGHT | |
|-------------------|---------|--------|---------|---------|--------|------|
| | | | | | UNIT | SHIP |
| 4-2536-C | 4 | 36 1/8 | 31 9/16 | 25 5/16 | 604 | 644 |
| 6-2552-C | 6 | 52 3/4 | | | 823 | 863 |
| Interior / Drawer | | 6 1/4 | 26 | 19 3/4 | | |



FireKing® STORAGE CABINETS



FireKing® Storage Cabinets

These are not typical storage cabinets. These are *the storage cabinets*. Each shelf has a weight capacity of 160 lbs. Cabinets are fire rated and outfitted with a UL Listed High Security lock. Available in all colors.

| MODEL # | ADJUSTABLE SHELVES | EXTERIOR | | | INTERIOR | | | WEIGHT | |
|----------|--------------------|----------|--------|----|----------|----|--------|--------|------|
| | | H | D | W | H | D | W | UNIT | SHIP |
| CF4436-D | 2 | 44 | 19 1/4 | 36 | 39 7/8 | 15 | 31 7/8 | 590 | 620 |
| CF7236-D | 4 | 72 | | | 67 7/8 | | | 862 | 892 |



FireKing® STORAGE CABINETS



End-Tab Filing

Durable, fire-rated and purpose-built—look no further than FireKing end-tab filing storage cabinets. Choose file-size type and size. Available in all colors.

| MODEL # | FIXED SHELVES | FILE TYPE | DIVIDERS PER SHELF | EXTERIOR | | | INTERIOR | | | WEIGHT | |
|---------------|---------------|-----------|--------------------|----------|--------|----|----------|-----|--------|--------|------|
| | | | | H | D | W | H | D | W | UNIT | SHIP |
| CF4436-MD | 3 | LETTER | 4 | 44 | 19 1/4 | 36 | 39 7/8 | 13 | 31 7/8 | 668 | 698 |
| CF4436-MD-LGL | 3 | LEGAL | 6 | | | | 668 | 698 | | | |
| CF7236-MD | 6 | LETTER | 4 | 72 | 19 1/4 | 36 | 67 7/8 | 13 | 31 7/8 | 918 | 948 |
| CF7236-MD-LGL | 6 | LEGAL | 6 | | | | 918 | 948 | | | |



ACCESSORIES

Tailor our storage cabinets to meet your needs!



MODULAR FILE DRAWER

Legal-size files sit in two rows, side-by-side while letter-size files hang in a single row.



PULL-OUT SHELF

Create a convenient and sturdy tabletop workspace in seconds and then hide when not in use.



BLUEPRINT HOLDER

Organize and protect blueprints with this convenient, unfurled and upright storage solution.



FireKing® STORAGE CABINETS

NEW
FOR 2024



FireShield® Storage Cabinet by FireKing®

Fire-rated storage with a keyed lock, designed to fit into a standard cabinet shell. Applications are endless — residential, commercial and retail.



Black Texture (BT) Silver Texture (ST) Parchment Texture (PT)

| MODEL # | SHELVES | HEIGHT | DEPTH | WIDTH | WEIGHT | |
|------------|----------|--------|--------|--------|--------|------|
| | | | | | UNIT | SHIP |
| HSC-3422-D | 2 | 34 | 21 5/8 | 22 1/8 | 292 | 314 |
| | Interior | 29 7/8 | 17 | 17 7/8 | | |



ALL PRODUCT SPECIFICATIONS PROVIDED IN INCHES (IN) AND POUNDS (LBS)

FireKing® FIRE & WATER CHESTS

FireKing® COMMERCIAL SAFES



SS-102



SS-103



SS-104



SS-106

Sure Seal by FireKing® Fire & Water Chests

Trust in FireKing® for portable water-and-fire-rated protection for your documents, digital media devices and more. Outfitted with dual compression latches, these containers offer waterproof protection and keep contents dry, even after being submerged for hours.

| MODEL # | CAPACITY CU. FT. | EXTERIOR | | | INTERIOR | | | WEIGHT | |
|----------------------------|---------------------|----------|---------|---------|----------|-------|----------|--------|------|
| | | H | D | W | H | D | W | UNIT | SHIP |
| 1/2-HOUR FIRE RATED | | | | | | | | | |
| SS-102 | .15 | 7 5/8 | 9 13/16 | 12 3/16 | 4 1/2 | 6 | 9 5/8 | 19 | 20 |
| SS-103 | .27 | 6 1/2 | 12 3/8 | 15 7/8 | 3 7/8 | 8 1/2 | 13 1/8 | 27 | 29 |
| SS-106 | .6 | 13 | 12 1/2 | 16 | 10 1/8 | 8 3/8 | 12 3/16 | 50 | 51 |
| 1-HOUR FIRE RATED | | | | | | | | | |
| SS-104 | .38 | 7 5/16 | 17 | 19 7/8 | 3 13/16 | 12 | 14 13/16 | 54 | 56 |



Depository Safes with Trim Safe

Convenient and reliable for protection from theft in business settings.

- Easy under-the-counter installation
- Designed to accept bulky drops; 6" drop slot
- Minimizes opening the main door
- Drill-resistant hard-plate behind electronic lock
- Anti-fish hopper; bolt-down kit included
- Comes standard with Trim Safe

| MODEL # | CAPACITY CU. FT. | EXTERIOR | | | INTERIOR | | | WEIGHT | |
|---------------|---------------------|----------|----|----|----------|----------|---------|--------|------|
| | | H | D | W | H | D | W | UNIT | SHIP |
| SB2014-BLELMS | 2.26 | 20 | 14 | 14 | 19 5/8 | 11 1/4 | 13 9/16 | 92 | 105 |
| SB2414-BLELMS | 2.72 | 24 | | | 23 11/16 | 10 13/16 | 13 3/4 | 102 | 114 |



Trim Safe

Secure yet streamlined cash protection for use at point-of-sale. These under counter safes are a first line of defense against internal theft.

- Ideal for cash-based businesses
- Heavy gauge steel construction
- Slot size: 5 3/8" (W) x 5/8" (H)
- Key lock with two keys

| MODEL # | CAPACITY CU. FT. | EXTERIOR | | | INTERIOR | | | WEIGHT | |
|---------|---------------------|----------|---------|---|----------|-------|--------|--------|------|
| | | H | D | W | H | D | W | UNIT | SHIP |
| MS1206 | .2 | 12 | 6 13/16 | 6 | 11 9/10 | 5 4/5 | 5 7/10 | 13 | 15 |



FireKing® FIRE-RATED SAFES



KF0812-1WHE



KF0915-1WHE



KF2418-HBLE

Fire-Rated Safes by FireKing®

Whether corporate, commercial, retail or residential, these units fulfill the needs of numerous applications. While the footprint may be compact, these safes are constructed with heavy steel and deliver serious protection from fire and theft.

| MODEL # | CAPACITY CU. FT. | INTERIOR | EXTERIOR | | | INTERIOR | | | WEIGHT | |
|----------------------------|---------------------|---------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------|------|
| | | | H | D | W | H | D | W | UNIT | SHIP |
| 1-HOUR FIRE RATED | | | | | | | | | | |
| KF0812-1WHE | .53 | 1 Tray | 11 ³ / ₄ | 14 | 16 ¹ / ₂ | 8 | 9 ¹ / ₄ | 12 ¹ / ₃ | 81 | 90 |
| KF0915-1WHE | .97 | 1 Tray | 13 ³ / ₄ | 16 ³ / ₄ | 19 ² / ₃ | 9 ¹ / ₄ | 12 | 15 | 117 | 130 |
| KF1509-1WHE | .97 | 1 Tray & 1 Shelf | 19 ² / ₃ | 16 ³ / ₄ | 13 ³ / ₄ | 15 | 12 | 9 ¹ / ₄ | 116 | 130 |
| 1/2-HOUR FIRE RATED | | | | | | | | | | |
| KF2418-HBLE | 4 | 2 Shelves | 27 ⁴ / ₅ | 19 | 21 ³ / ₅ | 24 ¹ / ₄ | 15 ¹ / ₂ | 18 ¹ / ₂ | 187 | 193 |



NEW
FOR 2024



KF1114-1WHE



KF2115-1WHE



KF2715-1WHE



KF2722-1WHE



KF3522-1WHE



KF5322-1WHE

Fire-Rated Safes by FireKing®

You can't beat these safes and their 1.26" diameter active bolts that work in three directions and the heavy-duty stationary vertical locking bar coupling to hinge to deter prying attacks. The electronic lock allows multiple users and features an independent glass-plate re-locking device. Safes include adjustable shelves and floor-bolting hardware.

| MODEL # | CAPACITY CU. FT. | ADJUSTABLE SHELVES | EXTERIOR | | | INTERIOR | | | WEIGHT | |
|-------------|---------------------|-----------------------|--------------------------------|--------------------------------|----|--------------------------------|--------------------------------|----|--------|------|
| | | | H | D | W | H | D | W | UNIT | SHIP |
| KF1114-1WHE | 1.2 | 1 | 17 ⁵ / ₇ | 20 ¹ / ₂ | 20 | 11 ² / ₃ | 13 | 14 | 234 | 260 |
| KF2115-1WHE | 2.4 | 2 | 27 | 20 ¹ / ₂ | 21 | 21 | 13 | 15 | 335 | 362 |
| KF2715-1WHE | 3.6 | 2 | 33 ¹ / ₄ | 22 ³ / ₄ | 21 | 27 ¹ / ₄ | 27 ¹ / ₂ | 15 | 401 | 428 |
| KF2722-1WHE | 7.5 | 2 | 33 ¹ / ₄ | 29 | 28 | 27 ¹ / ₄ | 27 ¹ / ₂ | 22 | 633 | 664 |
| KF3522-1WHE | 9.7 | 2 | 41 ¹ / ₂ | 29 | 28 | 35 ¹ / ₂ | 27 ¹ / ₂ | 22 | 732 | 763 |
| KF5322-1WHE | 14.6 | 3 | 59 ¹ / ₄ | 29 | 28 | 53 ² / ₉ | 27 ¹ / ₂ | 22 | 988 | 1033 |



FireKing® Lateral File Cabinets

| Model # | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|----------|--------------|--------------|-----------------|---------------|-------------------|----------|--------|---------|----------|--------|----------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|---|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| 2-3122-C | Letter/Legal | 2 | Medeco Key Lock | All | Yes | 27 3/4 | 22 1/8 | 31 3/16 | 10 3/8 | 15 1/8 | 25 3/16 | 416 | 456 | | X | | | | | X | | X | X | Limited lifetime with free replacement after fire guarantee |
| 2-3822-C | Letter/Legal | 2 | | All | Yes | 27 3/4 | 22 1/8 | 37 1/2 | 10 3/4 | 15 1/8 | 31 15/16 | 497 | 532 | | X | | | | | X | | X | X | |
| 2-4422-C | Letter/Legal | 2 | | All | Yes | 27 3/4 | 22 1/8 | 44 1/2 | 10 3/4 | 15 1/8 | 38 15/16 | 549 | 584 | | X | | | | | X | | X | X | |
| 3-3122-C | Letter/Legal | 3 | | All | Yes | 40 1/4 | 22 1/8 | 31 3/16 | 10 3/8 | 15 1/8 | 25 3/16 | 534 | 574 | | X | | | | | X | | X | X | |
| 3-3822-C | Letter/Legal | 3 | | All | Yes | 40 1/4 | 22 1/8 | 37 1/2 | 10 3/4 | 15 1/8 | 31 15/16 | 716 | 756 | | X | | | | | X | | X | X | |
| 3-4422-C | Letter/Legal | 3 | | All | Yes | 40 1/4 | 22 1/8 | 44 1/2 | 10 3/4 | 15 1/8 | 38 15/16 | 751 | 791 | | X | | | | | X | | X | X | |
| 4-3122-C | Letter/Legal | 4 | | All | Yes | 52 3/4 | 22 1/8 | 31 3/16 | 10 3/8 | 15 1/8 | 25 3/16 | 754 | 794 | | X | | | | | X | | X | X | |
| 4-3822-C | Letter/Legal | 4 | | All | Yes | 52 3/4 | 22 1/8 | 37 1/2 | 10 3/8 | 15 1/8 | 31 15/16 | 867 | 907 | | X | | | | | X | | X | X | |
| 4-4422-C | Letter/Legal | 4 | | All | Yes | 52 3/4 | 22 1/8 | 44 1/2 | 10 3/4 | 15 1/8 | 38 15/16 | 979 | 1019 | | X | | | | | X | | X | X | |

FireKing® 1-Hour Classic Vertical

| Model # | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|----------|-----------|--------------|-----------------|---------------|-------------------|----------|---------|----------|----------|-------|---------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|---|----------|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| 2-1831-C | Letter | 2 | Medeco Key Lock | All | Yes | 27 3/4 | 31 9/16 | 17 3/4 | 10 3/8 | 26 | 12 3/16 | 318 | 348 | | X | | | | | X | | X | Limited lifetime with free replacement after fire guarantee | |
| 2-2131-C | Legal | 2 | | All | Yes | 27 3/4 | 31 9/16 | 20 13/16 | 10 3/8 | 26 | 15 1/4 | 353 | 383 | | X | | | | | X | | X | | |
| 3-1831-C | Letter | 3 | | All | Yes | 40 1/4 | 31 9/16 | 17 3/4 | 10 3/8 | 26 | 12 3/16 | 446 | 476 | | X | | | | | X | | X | | |
| 3-2131-C | Legal | 3 | | All | Yes | 40 1/4 | 31 9/16 | 20 13/16 | 10 3/8 | 26 | 15 1/4 | 496 | 526 | | X | | | | | X | | X | | |
| 4-1831-C | Letter | 4 | | All | Yes | 52 3/4 | 31 9/16 | 17 3/4 | 10 3/8 | 26 | 12 3/16 | 573 | 603 | | X | | | | | X | | X | | |
| 4-2131-C | Legal | 4 | | All | Yes | 52 3/4 | 31 9/16 | 20 13/16 | 10 3/8 | 26 | 15 1/4 | 634 | 664 | | X | | | | | X | | X | | |

FireKing® 2-Hour Vertical

| Model # | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|----------|-----------|--------------|-----------------|---------------|-------------------|----------|---------|---------|----------|--------|----------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|---|----------|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| 2-1929-2 | Letter | 2 | Medeco Key Lock | All | n/a | 29 1/2 | 31 9/16 | 19 | 11 9/16 | 25 1/8 | 12 15/16 | 447 | 477 | | | X | | | | X | | X | Limited lifetime with free replacement after fire guarantee | |
| 2-2130-2 | Legal | 2 | | All | n/a | 29 7/8 | 32 1/16 | 21 5/16 | 11 13/16 | 26 | 15 1/4 | 518 | 548 | | | X | | | | X | | X | | |
| 3-1943-2 | Letter | 3 | | All | n/a | 42 13/16 | 31 3/16 | 19 | 11 9/16 | 25 1/8 | 12 15/16 | 635 | 665 | | | X | | | | X | | X | | |
| 3-2144-2 | Legal | 3 | | All | n/a | 43 7/16 | 32 1/16 | 21 5/16 | 11 13/16 | 26 | 15 1/4 | 712 | 752 | | | X | | | | X | | X | | |
| 4-1956-2 | Letter | 4 | | All | n/a | 56 3/16 | 31 3/16 | 19 | 11 9/16 | 25 1/8 | 12 15/16 | 927 | 957 | | | X | | | | X | | X | | |
| 4-2157-2 | Legal | 4 | | All | n/a | 57 | 32 1/16 | 21 5/16 | 11 13/16 | 26 | 15 1/4 | 991 | 1021 | | | X | | | | X | | X | | |

Safe-In-A-File

| Model # | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|------------|-----------|--------------|----------------------------------|---------------|-------------------|----------|---------|----------|----------|-------|--------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|---|----------|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| 2-2131-CSF | Legal | 2 | Safe: Combo Lock Medeco Key Lock | All | n/a | 27 3/4 | 31 9/16 | 20 13/16 | 10 3/8 | 26 | 15 1/4 | 461 | 501 | | X | | | | | X | | X | Limited lifetime with free replacement after fire guarantee | |
| 3-2131-CSF | Legal | 3 | | All | n/a | 40 1/4 | 31 9/16 | 20 13/16 | 10 3/8 | 26 | 15 1/4 | 604 | 644 | | X | | | | | X | | X | | |
| 4-2131-CSF | Legal | 4 | | All | n/a | 52 3/4 | 31 9/16 | 20 13/16 | 10 3/8 | 26 | 15 1/4 | 698 | 728 | | X | | | | | X | | X | | |

FireKing 25®

| Model # | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|----------|-----------|--------------|-----------------|---------------|-------------------|----------|---------|----------|----------|--------|---------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|---|----------|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| 2-1825-C | Letter | 2 | Medeco Key Lock | All | Yes | 27 3/4 | 25 1/16 | 17 3/4 | 10 3/8 | 19 3/4 | 12 3/16 | 257 | 287 | | X | | | | | X | | X | Limited lifetime with free replacement after fire guarantee | |
| 2-2125-C | Legal | 2 | | All | Yes | 27 3/4 | 25 1/16 | 20 13/16 | 10 3/8 | 19 3/4 | 15 1/4 | 296 | 326 | | X | | | | | X | | X | | |
| 4-1825-C | Letter | 4 | | All | Yes | 52 3/4 | 25 1/16 | 17 3/4 | 10 3/8 | 19 3/4 | 12 3/16 | 478 | 508 | | X | | | | | X | | X | | |
| 4-2125-C | Legal | 4 | | All | Yes | 52 3/4 | 25 1/16 | 20 13/16 | 10 3/8 | 19 3/4 | 15 1/4 | 521 | 551 | | X | | | | | X | | X | | |

Turtle® by FireKing®

| Model # | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|----------|--------------|--------------|-------------------|---------------|-------------------|----------|--------|--------|----------|--------|---------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|---|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| 2R1822-C | Letter/Legal | 2 | Standard Key Lock | AW, BL, PA | Yes | 27 3/4 | 22 1/8 | 17 3/4 | 10 3/8 | 15 1/8 | 12 3/16 | 221 | 251 | | X | | | | | X | | X | | Limited lifetime; free after fire replacement guarantee |
| 4R1822-C | Letter/Legal | 4 | | AW, BL, PA | Yes | 52 3/4 | 22 1/8 | 17 3/4 | 10 3/8 | 15 1/8 | 12 3/16 | 405 | 435 | | X | | | | | X | | X | | |

Patriot by FireKing®

| Model #. | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|----------|--------------|--------------|-----------|---------------|-------------------|----------|---------|----------|----------|--------|---------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|-----------------|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| 2P1825-C | Letter/Legal | 2 | Cam Lock | BL, PA | n/a | 27 3/4 | 25 1/16 | 17 3/4 | 10 3/8 | 19 3/4 | 12 3/16 | 257 | 287 | | X | | | | | | | | X | Limited 10-Year |
| 2P1831-C | Letter | 2 | | BL, PA | n/a | 27 3/4 | 31 9/16 | 17 3/4 | 10 3/8 | 26 | 12 3/16 | 318 | 348 | | X | | | | | | | | X | |
| 2P2131-C | Legal | 2 | | BL, PA | n/a | 27 3/4 | 31 9/16 | 20 13/16 | 10 3/8 | 26 | 15 1/4 | 353 | 383 | | X | | | | | | | | X | |
| 4P1825-C | Letter/Legal | 4 | | BL, PA | n/a | 52 3/4 | 25 1/16 | 17 3/4 | 10 3/8 | 19 3/4 | 12 3/16 | 478 | 508 | | X | | | | | | | | X | |
| 4P1831-C | Letter | 4 | | BL, PA | n/a | 52 3/4 | 31 9/16 | 17 3/4 | 10 3/8 | 26 | 12 3/16 | 573 | 603 | | X | | | | | | | | X | |
| 4P2131-C | Legal | 4 | | BL, PA | n/a | 52 3/4 | 31 9/16 | 20 13/16 | 10 3/8 | 26 | 15 1/4 | 634 | 664 | | X | | | | | | | | X | |

Mobile Pedestal by FireKing®

| Model #. | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty | |
|----------|--------------|--------------|-----------|---------------|-------------------|----------|--------|--------|----------|--------|---------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|----------|----------------|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | | |
| 2M1822-1 | Letter/Legal | 2 | Cam Lock | AW, BL, PA | n/a | 25 1/4 | 22 1/8 | 17 3/4 | 10 3/8 | 15 1/8 | 12 3/16 | 213 | 220 | | | | | | | | | X | | | Limited 90-Day |

FireShield® by FireKing®

| Model #. | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty | |
|----------|--------------|--------------|-----------|---------------|-------------------|----------|--------|--------|----------|--------|---------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|----------|----------------|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | | |
| 2S1822-D | Letter/Legal | 2 | Cam Lock | BS, DS | n/a | 27 3/4 | 22 1/8 | 17 3/4 | 10 3/8 | 15 1/8 | 12 3/16 | 195 | 237 | | | | | | | X | | X | | | Limited 1-Year |

Single-Drawer by FireKing®

| Model # | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty | |
|----------|--------------|--------------|-----------|----------------|-------------------|----------|--------|--------|----------|--------|---------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|----------|----------------|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | | |
| 1P1822-D | Letter/Legal | 1 | Cam Lock | AW, BL, PA, PL | Yes | 15 9/32 | 22 1/8 | 17 3/4 | 10 3/8 | 15 1/8 | 12 3/16 | 110 | 120 | | | | | | | | | X | | | Limited 1-Year |

FireKing® Card, Check & Note

| Model # | File Size | Drawer Count | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty | | |
|----------|-----------|--------------|-----------|---------------|-------------------|----------|---------|---------|----------|-------|--------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|----------|---|---|
| | | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | | | |
| 4-2536-C | Specialty | 4 | Medeco | All | n/a | 36 1/8 | 31 9/16 | 25 5/16 | 6 1/4 | 26 | 19 3/4 | 604 | 644 | | X | | | | | | | | | X | X | Limited lifetime; free after fire replacement guarantee |
| 6-2552-C | Specialty | 6 | Key Lock | All | n/a | 52 3/4 | 31 9/16 | 25 5/16 | 6 1/4 | 26 | 19 3/4 | 823 | 863 | | X | | | | | | | | | X | X | |

FireKing® Storage Cabinets

| Model # | Shelves & Type | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty | |
|---------------|----------------|-----------------|---------------|-------------------|----------|--------|-------|----------|-------|--------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|---|---|
| | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | | |
| CF4436-D | 2, Adjustable | Medeco Key Lock | All | n/a | 44 | 19 1/4 | 36 | 39 7/8 | 15 | 31 7/8 | 590 | 620 | | X | | | | | | | | X | Limited lifetime; free after fire replacement guarantee | |
| CF7236-D | 4, Adjustable | | All | n/a | 72 | 19 1/4 | 36 | 67 7/8 | 15 | 31 7/8 | 862 | 892 | | X | | | | | | | | | | X |
| CF4436-MD | 3, Fixed | | All | n/a | 44 | 19 1/4 | 36 | 39 7/8 | 13 | 31 7/8 | 668 | 698 | | X | | | | | | | | | | X |
| CF4436-MD-LGL | 3, Fixed | | All | n/a | 44 | 19 1/4 | 36 | 39 7/8 | 13 | 31 7/8 | 668 | 698 | | X | | | | | | | | | | X |
| CF7236-MD | 6, Fixed | | All | n/a | 72 | 19 1/4 | 36 | 67 7/8 | 13 | 31 7/8 | 918 | 948 | | X | | | | | | | | | | X |
| CF7236-MD-LGL | 6, Fixed | | All | n/a | 72 | 19 1/4 | 36 | 67 7/8 | 13 | 31 7/8 | 918 | 948 | | X | | | | | | | | | | X |

NEW FOR 2024

FireShield Storage Cabinet by FireKing®

| Model # | Adjustable Shelves | Lock Type | Color Options | Designer Finishes | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty | |
|------------|--------------------|-----------|---------------|-------------------|----------|--------|--------|----------|-------|--------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|----------|----------------|
| | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | | |
| HSC-3422-D | 2 | Key Lock | BT, ST, PT | n/a | 34 | 21 5/8 | 22 1/8 | 29 7/8 | 17 | 17 7/8 | 292 | 314 | | | | | | X | | | | | | Limited 1-Year |

Sure Seal Fire & Water Chests by FireKing®

| Model #. | Capacity (cu. ft.) | Lock Type | Color | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|----------|--------------------|--------------------------|-------|----------|---------|---------|----------|-------|----------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|----------------|
| | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| SS-102 | 0.15 | Standard Key Lock | Taupe | 7 5/8 | 9 13/16 | 12 3/16 | 4 1/2 | 6 | 9 5/8 | 19 | 20 | X | | | | | | | | | | Limited 7-Year |
| SS-103 | 0.27 | | Taupe | 6 1/2 | 12 3/8 | 15 7/8 | 3 7/8 | 8 1/2 | 13 1/8 | 27 | 29 | X | | | | | | | | | | |
| SS-106 | 0.60 | Dual-Compression Latches | Taupe | 13 | 12 1/2 | 16 | 10 1/8 | 8 3/8 | 12 3/16 | 50 | 51 | X | | | | | | | | | | |
| SS-104 | 0.38 | | Taupe | 7 5/16 | 17 | 19 7/8 | 3 13/16 | 12 | 14 13/16 | 54 | 56 | | X | | | | | | | | | |

Depository Safes with Trim Safe by FireKing®

| Model # | Capacity (cu. ft.) | Lock Type | Color | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|-------------|--------------------|-----------------|-------|----------|-------|-------|----------|----------|---------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|----------------|
| | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| SB2014-BLEL | 2.26 | Electronic Lock | BL | 20 | 14 | 14 | 19 5/8 | 11 1/4 | 13 9/16 | 92 | 105 | | | | | | | | | | | Limited 1-Year |
| SB2414-BLEL | 2.72 | | BL | 24 | 14 | 14 | 23 11/16 | 10 13/16 | 13 3/4 | 102 | 114 | | | | | | | | | | | |

Trim Safe

| Model # | Capacity (cu. ft.) | Lock Type | Color | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|---------|--------------------|-------------------|-------|----------|---------|-------|----------|-------|--------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|-----------------------|----------------|
| | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| MS1206 | 0.20 | Standard Key Lock | BL | 12 | 6 13/16 | 6 | 11 9/10 | 5 4/5 | 5 7/10 | 13 | 15 | | | | | | | | | | | Limited 1-Year |

NEW FOR 2024

Fire-Rated Safes by FireKing®

| Model # | Capacity (cu. ft.) | Adjustable Shelves | Lock Type | Color | Exterior | | | Interior | | | Weight | | Fire Rating | | | | | | Digital-Media Rating | | Impact Rating | Security | Warranty |
|-------------|--------------------|--------------------|-----------------|-------|----------|--------|--------|----------|--------|--------|--------|------|-------------------|-----------------|-----------------|--------------|------------|------------|----------------------|------------|---------------|---|----------|
| | | | | | Height | Depth | Width | Height | Depth | Width | Unit | Ship | UL C 350 1/2-Hour | UL C 350 1-Hour | UL C 350 2-Hour | FKC 1/2-Hour | FKC 1-Hour | ETL 1-Hour | ETL 1/2-Hour | ETL 1-Hour | UL 30 Feet | UL High-Security Lock | |
| KF0812-1WHE | .53 | 1 Tray | Electronic Lock | WH | 11 3/4 | 14 | 16 1/2 | 8 | 9 1/4 | 12 1/3 | 81 | 90 | | | | | | | | | | Limited 1-Year; free after fire replacement guarantee | |
| KF0915-1WHE | .97 | 1 Tray | | WH | 13 3/4 | 16 3/4 | 19 2/3 | 9 1/4 | 12 | 15 | 117 | 130 | | | | | | | | | | | |
| KF1509-1WHE | .97 | 1 & 1 Tray | | WH | 19 2/3 | 16 3/4 | 13 3/4 | 15 | 12 | 9 1/4 | 116 | 130 | | | | | | | | | | | |
| KF1114-1WHE | 1.2 | 1 | | WH | 17 5/7 | 20 1/2 | 20 | 11 2/3 | 13 | 14 | 234 | 260 | | | | | | | | | | | |
| KF2115-1WHE | 2.4 | 2 | | WH | 27 | 20 1/2 | 21 | 21 | 13 | 15 | 335 | 362 | | | | | | | | | | | |
| KF2418-HBLE | 4.0 | 2 | | BL | 27 4/5 | 19 | 21 3/5 | 24 1/4 | 15 1/2 | 18 1/2 | 187 | 193 | | | | X | | | | | | | |
| KF2715-1WHE | 3.6 | 2 | | WH | 33 1/4 | 22 3/4 | 21 | 27 1/4 | 27 1/2 | 15 | 401 | 428 | | | | | | | | | | | |
| KF2722-1WHE | 7.5 | 2 | | WH | 33 1/4 | 29 | 28 | 27 1/4 | 27 1/2 | 22 | 633 | 664 | | | | | | | | | | | |
| KF3522-1WHE | 9.7 | 2 | | WH | 41 1/2 | 29 | 28 | 35 1/2 | 27 1/2 | 22 | 732 | 763 | | | | | | | | | | | |
| KF5322-1WHE | 14.6 | 3 | | WH | 59 1/4 | 29 | 28 | 53 2/9 | 27 1/2 | 22 | 988 | 1033 | | | | | | | | | | | |



FireKing International, LLC
101 Security Parkway, New Albany, IN 47150 USA

FireKing.com | 1-800-457-2424